



## Specification Sheet

Part # HDL-DT1-XX

Designer LED Troffer

PROJECT NAME	
CATALOG #	
NOTES	
FIXTURE TYPE	

### Product Description

How Digital's Designer LED Troffers encompass the latest technological advances in a sleek aluminum housing with an extremely modern aesthetic. The built-in thermal management system ensures the LEDs will always run at cool temperatures necessary to achieve the fixture's full long-life potential. How Digital Troffers are constructed with the latest generation of high efficacy LM-80 certified LED chips and only the finest quality materials to ensure a durable and rugged luminaire that will operate for many years with little or no maintenance required. Each fixture comes standard with 0-10V dimming and a 5-year product warranty.



### Part numbers and Specifications

Model	Watts	CCT	CRI	lm/W	Lumens	Size	Voltage	Net Weight
HDL-DT1-22	35W 30W 25W	3500°k 4000°k 5000°k	>80	Up to 110 lm/W	3,850lm	2'x2'	100-277V	5.0 lbs/pc
HDL-DT1-14	"				"			
HDL-DT1-24	50W	5000°k	>80	Up to 110 lm/W	5,500lm	2'x4'		
	40W				4,400lm			
	30W				3,300lm			

CCT & wattage selectable


Recessed mounting

5-year limited warranty

Suitable for damp locations


For additional warranty information visit [www.howd.com](http://www.howd.com)

### Light Distribution




AVERAGE BEAM ANGLE(50%): 111.1°

2x2



AVERAGE BEAM ANGLE(50%): 111.7°

2x4



AVERAGE BEAM ANGLE(50%): 109.4°

1x4

## Part # HDL-DT1-XX-XXW-XXX

Designer LED Troffer



## How Digital Specification Sheet

### Applications

- Offices
- Classrooms
- Hospitals
- Shopping Malls
- Grocery Stores
- Hotels
- Restaurants

### Product Specifications

- Selectable Wattage & CCT
- Emergency Battery Available (120 minutes @ 8W)
- Aluminum Housing
- Low Maintenance
- Simple Installation
- 110° Beam Angle
- 0-10V Dimming
- Working Temperature: -4°F to 104°F
- >50,000 Lifetime Hours

### Electrical System

- Input Voltage: 100-277V AC (50-60 Hz)
- Power Factor: >90% Non-Flicker
- THD: <20% at Full Load
- Dimming 0-10V

### Test and Certifications

- UL Certified
- DLC Listed
- IES Files Available

### Product Dimensions

